

STIC Database Tracking No.

To:Trinh Nguyen Location: 4A19 Art Unit: 3644

Wednesday, December 13, 2006

Case Serial Number: 08/552194

From: Etelka R. Griffin Location: EIC 3600

KNOX/4B68

Phone:571-272-4230

Etelka.griffin@uspto.gov

Search Notes

LITIGATION-5768769
Searches completed on the following databases:

LEXIS/NEXIS
QUESTEL/ORBIT
`COURTLINK



Source: Legal > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility, Design and Plant Patents

Terms: patno=5768769 (Edit Search | Suggest Terms for My Search)

552194 (08) 5768769 June 23, 1998

UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

5768769

Get Drawing Sheet 1 of 3 Access PDF of Official Patent *

Check for Patent Family Report PDF availability *

* Note: A transactional charge will be incurred for downloading an Official Patent or Patent Family Report. Your acceptance of this charge occurs in a later step in your session. The transactional charge for downloading is outside of customer subscriptions; it is not included in any flat rate packages.

Order Patent File History / Wrapper from REEDFAX® Link to Claims Section

June 23, 1998

Parallel adjustable gantry truss plate press

REISSUE: June 23, 2000 - Reissue Application filed Ex. Gp.: 3726; Re. S.N. 09/605,148

(O.G. August 15, 2000)

APPL-NO: 552194 (08)

FILED-DATE: November 2, 1995

GRANTED-DATE: June 23, 1998

ASSIGNEE-PRE-ISSUE: November 2, 1995 - ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS)., ALPINE ENGINEERED PRODUCTS, INC. 1200 PARK CENTRAL BLVD. SOUTHPOMPANO BEACH, FLORIDA, 33064, Reel and Frame Number: 007754/0190

ASSIGNEE-AFTER-ISSUE: July 18, 2005 - SECURITY AGREEMENT, ANTARES CAPITAL CORPORATION, AS AGENT 311 SOUTH WACKER SUITE 4400CHICAGO, ILLINOIS, 60606,

Reel and Frame Number: 016274/0297

CORE TERMS: roller press, adjustment, gantry, drive, truss, shaft, dolly, gearbox, sprocket, rod ...

ENGLISH-ABST:

A gantry press adjustment apparatus for adjusting a vertical orientation of a parallel gantry press with respect to a work surface. The gantry press has a rigid frame with a first side frame portion and a second side frame portion. Each side frame portion has a first and a second generally parallel vertical members. The first and the second side frame portions are spaced sufficiently apart to accept a press roller. The adjustment apparatus has a first and a second planar member which are adapted to receive and support the axle of the roller press. The planar members are slidably mounted along a vertical axis of the frame portions. A first vertical adjustment member is connected to the first side frame portion and to the first planar member. A second vertical adjustment member is connected to the second side frame portion and to the second planar member. A drive is connected with each of the adjustment





members to adjust each of member at a substantially equivalent rate and vertical spatial orientation such that the planar members maintain the press roller in a parallel orientation with respect to the work surface.

Source: <u>Legal</u> > <u>Area of Law - By Topic</u> > <u>Patent Law</u> > <u>Patents</u> > <u>U.S. Patents</u> > <u>Utility</u>, <u>Design and Plant</u>


Patents 3

Terms: patno=5768769 (Edit Search | Suggest Terms for My Search)

View: Custom

Segments: Abst, Assignee, English-abst, Reissue


Date/Time: Wednesday, December 13, 2006 - 2:59 PM EST



About LexisNexis | Terms & Conditions
Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights

EXISNEXIS® Total Research System Switch Client Preferences Feed Ty Lexis™ Search Research Tasks Search Advisor Get a Document Shepard's® Alei	
Ources Guided Search Forms Command Searching	1000
Legal > Area of Law - By Topic > Patent Law > Legal News > Patent, Trademark & Copyri Combined	ght Periodicals,
Enter Search Terms	[™] Search Help
Terms and Connectors	Search Conn
5768769 or 5,768,769 Suggest Terms for My Search Check Spelling	and and or or w/N within pre/N prece w/p in sa
Restrict by Document Segment: Select a document segment, enter search terms for the segment, then click Add.	w/seg in sa w/s in sa and not and r
Select a Segment Add 1	>More Connect
Note: Segment availability differs between sources. Segments may not be applied consistently across sources. Restrict by Date: No Date Restrictions C From To Date Formats	How Do I? > Use wildcards for one or more search term? > Restrict by Dc > Restrict by Da
	Mylew S

<u>My Lexis™</u> | **Search** | <u>Research Tasks</u> | <u>Search Advisor</u> | <u>Get a Document</u> | <u>Shepard's®</u> | <u>Alerts History</u> | <u>Delivery Manager</u> | <u>Switch Client</u> | <u>Preferences</u> | <u>Feedback</u> | <u>Sign Off</u> | <u>Help</u>



About LexisNexis | Terms & Conditions

Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.



No documents were found for your search terms "5768769 or 5,768,769"

Click "Save this search as an Alert" to schedule your search to run in the future.

- OR -

Click "Edit Search" to return to the search form and modify your search.

Suggestions:

- · Check for spelling errors .
- Remove some search terms.
- Use more common search terms, such as those listed in "Suggested Words and Concepts"
- Use a less restrictive date range.

Save this Search as an Alert


Edit Search



About LexisNexis | Terms & Conditions
Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights

.exisNexis® Total Research System Switch Client Preferences Feedback	k Sign Off 3 Help
y Lexis™ Search Research Tasks Search Advisor Get a Document Shepard's® Alerts ources Guided Search Forms Command Searching	History 💭
Legal > Area of Law - By Topic > Patent Law > Multi-Source Groups > Patent Cases from Fed and Administrative Materials	deral Courts
Enter Search Terms	Search Helf
Terms and Connectors	Search Conn
5768769 or 5,768,769 Suggest Terms tor My Search Check Spelling	and and or or w/N within pre/N prece w/p in sa
Restrict by Document Segment:	w/seg in sa
Select a document segment, enter search terms for the segment, then click Add.	<u>w/s</u> in sa <u>and not</u> and r
Select a Segment Add ↑	>More Connect
Note: Segment availability differs between sources. Segments may not be applied consistently across sources. Restrict by Date: No Date Restrictions C From To Date Formats	How Do I? > Use wildcards for one or more search term? > Restrict by Dc. > Restrict by Da.
	M View S

My Lexis™ | Search | Research Tasks | Search Advisor | Get a Document | Shepard's® | Alerts History | Delivery Manager | Switch Client | Preferences | Feedback | Sign Off | Help



About LexisNexis | Terms & Conditions

Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.



No documents were found for your search terms "5768769 or 5,768,769"

Click "Save this search as an Alert" to schedule your search to run in the future.

- OR -


Click "Edit Search" to return to the search form and modify your search.

Suggestions:

- · Check for spelling errors .
- · Remove some search terms.
- Use more common search terms, such as those listed in "Suggested Words and Concepts"
- Use a less restrictive date range.

✓ Save this Search as an Alent

Edit Search



About LexisNexis | Terms & Conditions | Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights





Order Documents | Available Courts | Total Litigator | Lexis.com | Sign Out | Learning Center

LexisNexis CourtLink

Welcome Etelka Griffin!

My CourtLink Search Dockets & Documents Track Alert Strategic Profiles My Account

Search > Patent Search > Searching

Patent Search 5768769 12/13/2006

No cases found.

Return to Search

(Charges for search still apply)

<u>Privacy</u>

Master Services Agreement

Copyright © 2006 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

```
PLUSPAT - @QUESTEL-ORBIT - image
Patent Number :
 US5768769 A 19980623 [US5768769]
Title:
  (A) Parallel adjustable gantry truss plate press
Inventor(s):
  (A) SHAMBLIN WAYNE A (US)
Application Nbr :
 US55219495 19951102 [1995US-0552194]
Priority Details :
 US55219495 19951102 [1995US-0552194]
Intl Patent Class:
  (A) B23P-019/00
IPC Advanced All:
 B27F-007/15 [2006-01 A - I R M EP]
IPC Core All :
 B27F-007/00 [2006 C - I R M EP]
EPO ECLA Class :
 B27F-007/15B
US Patent Class :
 ORIGINAL (O): 029798000; CROSS-REFERENCE (X): 100210000 100913000
Document Type :
  Corresponding document
Citations :
 US3195449; US3212694; US3255943; US3336865; US3413703; US3538843;
 US3667379; US3855917; US3925870; US4295269; US4437234; US5092028;
 US5111861; US5211108; US5553375
  Product Brochure-13 Roof Truss Gantry System, Klaisler Mfg. Corp. (Date
  Unknown).
  Product Brochure--Roller Gantry, Roller Press System, MiTek Industries,
  Inc. (Date Unknown).
 Product Brochure--Gantry Roller, C.M.F., Inc. (Date Unknown).
 Product Brochure--Fabrication & Cutting Equipment for Truss
 Manufacturing, MiTek Industries Group of Companies (1988).
 Product Brochure--Mark-8 Mono-Press, Truss Fabrication Equipment, MiTek
 Industries, Inc. (1988).
 Product Brochure--Floor Roller, Ultra High-Speed Floor Truss Machine,
 MiTek Industries, Inc. (1988).
 Product Brochure--Mark V, Fully Automatic Moving Press System, MiTek
 Industries, Inc. (1988).
 Product Brochure--Gantry, For Large Trusses and Long Production Runs,
 MiTek Industries, Inc. (1991).
Publication Stage:
  (A) United States patent
Abstract :
 A gantry press adjustment apparatus for adjusting a vertical orientation
 of a parallel gantry press with respect to a work surface. The gantry
 press has a rigid frame with a first side frame portion and a second
 side frame portion. Each side frame portion has a first and a second
```

generally parallel vertical members. The first and the second side frame portions are spaced sufficiently apart to accept a press roller. The

adjustment apparatus has a first and a second planar member which are adapted to receive and support the axle of the roller press. The planar members are slidably mounted along a vertical axis of the frame portions. A first vertical adjustment member is connected to the first side frame portion and to the first planar member. A second vertical adjustment member is connected to the second side frame portion and to the second planar member. A drive is connected with each of the adjustment members to adjust each of member at a substantially equivalent rate and vertical spatial orientation such that the planar members maintain the press roller in a parallel orientation with respect to the work surface.

1 / 1 LGST - @EPO Patent Number : US5768769 A 19980623 [US5768769] Application Number : US55219495 19951102 [1995US-0552194] Action Taken : 19951102 US/AS02-A ASSIGNMENT OF ASSIGNOR'S INTEREST OWNER: ALPINE ENGINEERED PRODUCTS, INC. 1200 PARK CENTRAL; EFFECTIVE DATE: 19951102 19951102 US/AS02-A ASSIGNMENT OF ASSIGNOR'S INTEREST OWNER: SHAMBLIN, WAYNE A.; EFFECTIVE DATE: 19951102 20000815 US/RF-A REISSUE APPLICATION FILED EFFECTIVE DATE: 20000623 20050718 US/AS-A ASSIGNMENT OWNER: ANTARES CAPITAL CORPORATION, AS AGENT, ILLINOIS; EFFECTIVE DATE: 20050714 SECURITY AGREEMENT; ASSIGNOR: ALPINE ENGINEERED PRODUCTS, INC.; REEL/FRAME: 016274/0297 Update Code : 2006-42

1 / 1 CRXX - @CLAIMS/RRX

Patent Number :

5,768,769 A 19980623 [US5768769]

Patent Assignee :

Shamblin, Wayne A

Actions :

20000623 REISSUE REQUESTED
ISSUE DATE OF O.G.: 20000815
REISSUE REQUEST NUMBER: 09/605148

EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 3726

Reissue Patent Number:

20050718 REASSIGNED SECURITY AGREEMENT

Assignor: ALPINE ENGINEERED PRODUCTS, INC., DATE SIGNED: 07/14/2005

Assignee: ANTARES CAPITAL CORPORATION, AS AGENT, 311 SOUTH WACKER, SUITE

4400, CHICAGO, ILLINOIS, 60606

Reel 016274/Frame 0297

Contact: PENELOPE S. JOHNSON, 525 WEST MONROE STREET, KATTEN MUCHIN

ROSENMAN LLP, CHICAGO, IL 60661